

# Synthetic Sorbent Materials Based on Metal Sulphides and Oxides

---

D.S. Sofronov, K.N. Belikov, M. Rucki,  
S.N. Lavrynenko, Z. Siemiątkowski,  
E. Yu. Bryleva, and O.M. Odnovolova

First published 2021

ISBN: 978-0-367-56675-3 (hbk)  
ISBN: 978-0-367-60875-0 (pbk)  
ISBN: 978-1-003-10233-5 (ebk)

## References

---

(CC BY-NC-ND 4.0)

This chapter is made Open Access through funding by Precision Machine Parts Poland Sp. z o.o.



Taylor & Francis  
Taylor & Francis Group

---

## References

---

- Abdullah, N.H., Z. Zainal, S. Silong, M.I.M. Tahir, K.B. Tan, and S.K. Chang. 2016. Synthesis of zinc sulphide nanoparticles from thermal decomposition of zinc N-ethyl cyclohexyl dithiocarbamate complex. *Materials Chemistry and Physics* 173:33–41.
- Acton, Q.A. (ed.), 2013. *Zinc Compounds—Advances in Research and Application: 2013 Edition*. Atlanta: Scholarly Editions.
- Adler, H.H., and P.F. Kerr. 1965. Variations in infrared spectra, molecular symmetry and site symmetry of sulfate minerals. *American Mineralogist* 50(1–2):132–47.
- Afridi, M.N., W.-H. Lee, and J.-O. Kim. 2019. Effect of phosphate concentration, anions, heavy metals, and organic matter on phosphate adsorption from wastewater using anodized iron oxide nanoflakes. *Environmental Research* 171:428–36.
- Aguilar, O., F. Tzompantzi, R. Pérez-Hernández, R. Gómez, and A. Hernández-Gordillo. 2017. Novel preparation of ZnS from  $\text{Zn}_5(\text{CO}_3)_2(\text{OH})_6$  by the hydro- or solvothermal method for  $\text{H}_2$  production. *Catalysis Today* 287:91–8.
- Ahmed, K.A.M. 2016. Exploitation of  $\text{KMnO}_4$  material as precursors for the fabrication of manganese oxide nanomaterials. *Journal of Taibah University for Science* 10(3):412–29.
- Ai, Zh., Y. Cheng, L. Zhang, and J. Qiu 2008. Efficient Removal of Cr(VI) from Aqueous Solution with Fe- $\text{Fe}_2\text{O}_3$  Core-Shell Nanowires. *Environmental Science & Technology* 42(18):6955–60.
- Alby, D., C. Charnay, M. Heran, B. Prelot, and J. Zajac. 2018. Recent developments in nanostructured inorganic materials for sorption of cesium and strontium: Synthesis and shaping, sorption capacity, mechanisms, and selectivity – A review. *Journal of Hazardous Materials* 344:511–530.
- Allan, K.F., S. Labib, and M. Holeil. 2015. Synthesis and characterization of iron sulfide powders and its application for sorption of europium radionuclides. *Desalination and Water Treatment* 51:1–15.
- Anand, K.V., M.K. Chinnu, R. Mohan Kumar, R. Mohan, and R. Jayavel. 2009. Formation of zinc sulfide nanoparticles in HMTA matrix. *Applied Surface Science* 255(21):8879–82.
- Balsley, S.D., P.V. Brady, J.L. Krumhansl, et al. 1996. Iodide retention by metal sulfide surfaces: Cinnabar and chalcocite. *Environmental Science & Technology* 30(10):3025–7.
- Baltas, H., M. Sirin, E. Gökbayrak, and A.E. Ozcelik. 2020. A case study on pollution and a human health risk assessment of heavy metals in agricultural soils around Sinop province, Turkey. *Chemosphere* 241:125015.
- Baranov, D.A., and S.P. Gubin. 2009. Radioelectronics: Nanosystems. *Information Technologies* 1(1–2):129. (in Russian).
- Barzyk, W., A. Kowal, and A. Pomianowski. 2002. Noble metal (Ag, Au) cementation on non-stoichiometric cuprous sulphide grains. *Colloids and Surfaces A: Physicochemical and Engineering Aspects* 208:321–35.

- Baykal, A., Y. Köseolu, and M. Senel. 2007. Low temperature synthesis and characterization of  $Mn_3O_4$  nanoparticles. *Central European Journal of Chemistry* 5(1):169–76.
- Behboudnia, M., M.H. Majlesara, and B. Khanbabae. 2005. Preparation of ZnS nanorods by ultrasonic waves. *Materials Science and Engineering B* 122:160–3.
- Benjamin, M.M. and J.O. Leckie. 1981. Multiple-site adsorption of Cd, Cu, Zn, and Pb on amorphous iron oxyhydroxide. *Journal of Colloid and Interface Science* 79(1):209–21.
- Bhateria, R., and R. Singh. 2019. A review on nanotechnological application of magnetic iron oxides for heavy metal removal. *Journal of Water Process Engineering* 31:100845.
- Biswas, S., T. Ghoshal, S. Kar, S. Chakrabarti, and S. Chaudhuri. 2008. ZnS nanowire arrays: Synthesis, optical and field emission properties. *Crystal Growth & Design* 8(7):2171–6.
- Bol, A.A., J. Ferwerda, J.A. Bergwerff, and A. Meijerink. 2002. Luminescence of nanocrystalline ZnS: $Cu^{2+}$ . *Journal of Luminescence* 99:325–34.
- Bostick, B.C., and S. Fendorf. 2003. Arsenite sorption on troilite (FeS) and pyrite ( $FeS_2$ ). *Geochimica et Cosmochimica Acta* 67(5):909–21.
- Bower, K.E., Y.A. Barbanel, Y.G. Shrter, and G.W. Bohnert (eds.). 2002. *Polymers, Phosphors, and Voltaics for Radioisotope Microbatteries*. Boca Raton, FL: CRC Press.
- Brittain, H.G. (ed.) 1993. *Analytical Profiles of Drug Substances and Excipients*, Vol. 22. San Diego, CA: Academic Press Inc.
- Bulgakova, A.V., D.S. Sofronov, P.V. Mateichenko, V.N. Baumer, A.A. Beda, and V.A. Chebanov. 2016. The effect of the precipitation conditions on the morphology and the sorption properties of CuS particles. *Protection of Metals and Physical Chemistry of Surfaces* 52(3):448–53.
- Bulgakova, A.V., D.S. Sofronov, P.V. Mateychenko, V.N. Baumer, A.A. Beda, and V.A. Chebanov. 2016. Effect of the precipitation conditions on morphology and sorption characteristics of CuS. *Surface Physics and Chemistry and Materials Protection* 52(3):295–300. (in Russian).
- Byrn, S.R., G. Zografi, and X. Chen. 2017. *Solid-State Properties of Pharmaceutical Materials*. Hoboken, NJ: John Wiley & Sons, Inc.
- Cao, Ch.Y., J. Qu, W.-Sh. Yan, J.-F. Zhu, Z.-Y. Wu, and W.-G. Song. 2012. Low-cost synthesis of flowerlike  $\alpha$ - $Fe_2O_3$  nanostructures for heavy metal ion removal: Adsorption property and mechanism. *Langmuir* 28(9):4573–9.
- Cao, J., Y. Zhu, K. Bao, L. Shi, Sh. Liu, and Y. Qian. 2009. Microscale  $Mn_2O_3$  hollow structures: Sphere, cube, ellipsoid, dumbbell, and their phenol adsorption properties. *Journal of Physical Chemistry C* 113(41):17755–60.
- Cao, Sh.W., and Y.J. Zhu. 2008. Hierarchically nanostructured  $\alpha$ - $Fe_2O_3$  hollow spheres: Preparation, growth mechanism, photocatalytic property, and application in water treatment. *Journal of Physical Chemistry C* 112(16):6253–7.
- Chanu, T.I., Dh. Samanta, A. Tiwari, and S. Chatterjee. 2017. Effect of reaction parameters on photoluminescence and photocatalytic activity of zinc sulfide nanosphere synthesized by hydrothermal route. *Applied Surface Science* 391(Part B):548–56.
- Cheera, P., S. Karlapudi, G. Sellola, and V. Ponneri. 2016. A facile green synthesis of spherical  $Fe_3O_4$  magnetic nanoparticles and their effect on degradation of methylene blue in aqueous solution. *Journal of Molecular Liquids* 221:993–8.
- Chen, D., K. Tang, G. Shen, et al. 2003. Microwave-assisted synthesis of metal sulfides in ethylene glycol. *Materials Chemistry and Physics* 82:206–9.

- Chen, J., J. Wang, G. Zhang, Q. Wu, and D. Wang. 2018. Facile fabrication of nanostructured cerium-manganese binary oxide for enhanced arsenite removal from water. *Chemical Engineering Journal* 334:1518–26.
- Cheng, Ch., G. Xu, H. Zhang, J. Cao, P. Jiao, and X. Wang. 2006. Low-temperature synthesis and optical properties of wurtzite ZnS nanowires. *Materials Letters* 60:3561–4.
- Cheraneva, L.G., M.A. Shvetsova, and V.V. Volkhin. 2009. Impact of the sorbents synthesis conditions on the structure and characteristics of metals sulfides. *Bulletin of Perm National Research Polytechnic Institute: Chemical and Bio Technology* 9(1):19–25. (in Russian).
- Coles, C.A., S.R. Rao, and R.N. Yong. 2000. Lead and cadmium interactions with mackinawite: Retention mechanisms and the role of pH. *Environmental Science & Technology* 34(6):996–1000.
- Con, T.H., Ph. Thao, T.X. Dai, and D.K. Loan. 2013. Application of nano dimensional MnO<sub>2</sub> for high effective sorption of arsenic and fluoride in drinking water. *Environmental Sciences* 1(1–2):69–77.
- Corrado, C., Y. Jiang, F. Oba, M. Kozina, F. Bridges, and J.Z. Zhang. 2009. Synthesis, structural, and optical properties of stable ZnS:Cu, Cl nanocrystals. *Journal of Physical Chemistry A* 113(16):3830–9.
- Crisostomo, V.-M.B., J.K. Ngala, S. Alia, et al. 2007. New synthetic route, characterization, and electrocatalytic activity of nanosized manganite. *Chemistry of Materials* 19(7):1832–39.
- Davies-Colley, R.J., P.O. Nelson, and K.J. Williamson. 1984. Copper and cadmium uptake by estuarine sedimentary phases. *Environmental Science & Technology* 18(7):491–9.
- Dąbrowski, A., and V.A. Tertykh (eds.). 1996. *Adsorption on New and Modified Inorganic Sorbents*. Amsterdam: Elsevier.
- Deng X., Zh. Huang, W. Wang, and R.N. Davé. 2016. Investigation of nanoparticle agglomerates properties using Monte Carlo simulations. *Advanced Powder Technology* 27(5):1971–9.
- Dhara, A., S. Sain, S. Das, and S.K. Pradhan. 2018. Microstructure, optical and electrical characterizations of Mn doped ZnS nanocrystals synthesized by mechanical alloying. *Materials Research Bulletin* 97:169–75.
- Dong L., Zh. Zhu, H. Ma, Y. Qiu, and J. Zhao. 2010. Simultaneous adsorption of lead and cadmium on MnO<sub>2</sub>-loaded resin. *Journal of Environmental Sciences* 22(2):225–9.
- Dong, L., Y. Chu, and Y. Zhang. 2007. Microemulsion-mediated solvothermal synthesis of ZnS nanowires. *Materials Letters* 61:4651–4.
- Dragan, E.S. (ed.) 2014. *Advanced Separations by Specialized Sorbents*. Boca Raton, FL: CRC Press.
- Dubey, Sh., S. Banerjee, S.N. Upadhyay, and Y.Ch. Sharma. 2017. Application of common nano-materials for removal of selected metallic species from water and wastewaters: A critical review. *Journal of Molecular Liquids* 240:656–77.
- Edrah, S. 2010. Synthesis, characterization and biological activities of ureas and thioureas derivatives. *Journal of Applied Sciences Research* 4(8):1014–8.
- Egorov, N.B., L.P. Eremin, A.M. Larionov, and V.F. Usov. 2010. Transformations of the thiosulfate-thiourea lead complexes under heating. *Bulletin of Tomsk Polytechnic University* 317(3):99–102. (in Russian).

- Environmental Protection Agency. 2001. *Parameters of Water Quality: Interpretation and Standards*. Wexford: Environmental Protection Agency.
- Fang, X., T. Zhai, U.K. Gautam, et al. 2011. ZnS nanostructures: From synthesis to applications. *Progress in Materials Science* 56:175–287.
- Feng, X.H., L.M. Zhai, W.F. Tan, F. Liu, and J.Z. He. 2007. Adsorption and redox reactions of heavy metals on synthesized Mn oxide minerals. *Environmental Pollution* 147:366–73.
- Fu, F., and Q. Wang. 2011. Removal of heavy metal ions from wastewaters: A review. *Journal of Environmental Management* 92(3):407–18.
- Furniss, B.S., A.J. Hannaford, P.W.G. Smith, and A.R. Tatchell (eds.). 1989. *Vogel's Textbook of Practical Organic Chemistry*, 5th edn. Harlow: Longman Scientific & Technical.
- Ge, S., X. Shi, K. Sun, et al. 2009. Facile hydrothermal synthesis of iron oxide nanoparticles with tunable magnetic properties. *Journal of Physical Chemistry C* 113(31):13593–9.
- Geckeler, K., and H. Nishide (eds.). 2010. *Advanced Nanomaterials*. Weinheim: Wiley-VCH.
- Geng, B., J. Ma, and F. Zhan. 2009. A solution phase thermal decomposition molecule precursors route to ZnS:Cu<sup>2+</sup> nanorods and their optical properties. *Materials Chemistry and Physics* 113:534–8.
- Gevorkyan, E.S., M. Rucki, V.A. Chishkala, M.V. Kisliatsa, Z. Siemiatkowski, and D. Morozow. 2019. Hot pressing of tungsten monocarbide nanopowder mixtures by electroconsolidation method. *Journal of Machine Construction and Maintenance* 113(2):67–73.
- Gong, Y., J. Tang, and D. Zhao. 2016. Application of iron sulfide particles for groundwater and soil remediation: A review. *Water Research* 89:309–20.
- Gupta, K.M., and N. Gupta. 2016. *Advanced Semiconducting Materials and Devices*. Cham: Springer.
- Guttikunda, S.K., K.A. Nishadh, and P. Jawahar. 2019. Air pollution knowledge assessments (APnA) for 20 Indian cities. *Urban Climate* 27:124–41.
- Hamilton-Taylor, J., W. Davison, and K. Morfett. 1996. The biogeochemical cycling of Zn, Cu, Fe, Mn, and dissolved organic C in a seasonally anoxic lake. *Limnology and Oceanography* 41(3):408–18.
- Han, R., W. Zou, Y. Wang, and L. Zhu. 2007. Removal of uranium(VI) from aqueous solutions by manganese oxide coated zeolite: Discussion of adsorption isotherms and pH effect. *Journal of Environmental Radioactivity* 93(3):127–43.
- Herrmann J., W. Knoche, and R. Neugebauer. 1995. Hydrolysis of thiamine. *Journal of the Chemical Society. Perkin Transactions Part 2* 3:463–8.
- Hong, R.Y., T.T. Pan, and H.Z. Li. 2006. Microwave synthesis of magnetic Fe<sub>3</sub>O<sub>4</sub> nanoparticles used as a precursor of nanocomposites and ferrofluids. *Journal of Magnetism and Magnetic Materials* 303:60–8.
- Hurma, T. 2016. Effect of cerium incorporation on the structural and optical properties of CdS film. *Optik – International Journal for Light and Electron Optics* 127(22):10670–5.
- Jaffres, A., D. Bregiroux, D. Reekie, and R. Shears. 2017. Morphological control of ZnS nanopowders by different capping molecules. *Materials Letters* 209:539–542.
- Jaspal, D., and A. Malviya. 2020. Composites for wastewater purification: A review. *Chemosphere* 246:125788.

- Jayalakshmi, M., and M.M. Rao. 2006. Synthesis of zinc sulphide nanoparticles by thiourea hydrolysis and their characterization for electrochemical capacitor applications. *Journal of Power Sources* 157(1):624–9.
- Jeong, H.Y., B. Klaue, J.D. Blum, et al. 2007. Sorption of mercuric ion by synthetic nanocrystalline mackinawite (FeS). *Environmental Science & Technology* 41(22):7699–705.
- Jian, W., J. Zhuang, D. Zhang, J. Dai, W. Yang, and Y. Bai. 2006. Synthesis of highly luminescent and photostable ZnS:Ag nanocrystals under microwave irradiation. *Materials Chemistry and Physics* 99:494–7.
- Jiang, Ch., W. Zhang, G. Zou, W. Yu, and Y. Qian. 2007. Hydrothermal synthesis and characterization of ZnS microspheres and hollow nanospheres. *Materials Chemistry and Physics* 103, 24–7.
- Jothibas, M., S. Johnson Jeyakumar, C. Manoharan, I.K. Punithavathy, P. Praveen, and J.P. Richard. 2017. Structural and optical properties of zinc sulphide nanoparticles synthesized via solid state reaction method. *Journal of Materials Science: Materials in Electronics* 28:1889–94.
- Jothibas, M., C. Manoharan, S. Johnson Jeyakumar, P. Praveen, I.K. Punithavathy, and J.P. Richard. 2018. Synthesis and enhanced photocatalytic property of Ni doped ZnS nanoparticles. *Solar Energy* 159:434–43.
- Kar, P., S. Sardar, S. Ghosh, et al. 2015. Nano surface engineering of Mn<sub>2</sub>O<sub>3</sub> for potential light-harvesting application. *Journal of Materials Chemistry C* 3:8200–11.
- Katrunov, K., D. Sofronov, N. Starzhynskiy, et al. 2010. Quantum-size effects in nanosize particles ZnS and CdS obtained by precipitation from alkaline solutions. *Technology, Instrumentation and Production of Electronic Technique* 28(2):3–7. (in Russian).
- Khan, Y., Sh.Kh. Durrani, M. Mehmood, and M.R. Khan. 2011. Mild hydrothermal synthesis of γ-MnO<sub>2</sub> nanostructures and their phase transformation to α-MnO<sub>2</sub> nanowires. *Journal of Materials Research* 26(17):2268–75.
- Kim, D., K.-D. Min, J. Lee, J.H. Park, and J.H. Chun. 2006. Influences of surface capping on particle size and optical characteristics of ZnS:Cu nanocrystals. *Materials Science and Engineering B* 131:13–7.
- Kim, J.H., J.G. Kim, J. Song, et al. 2018. Investigation of the growth and in situ heating transmission electron microscopy analysis of Ag<sub>2</sub>S-catalyzed ZnS nanowires. *Applied Surface Science* 436:556–61.
- Kitayev, G.A., V.F. Markov, and L.N. Maskayeva. 1989. Investigations on chalcogenide films of solid solutions CdXPb1-XS. *Bullettin of SU Academy of Sciences: Inorganic Materials* 26(8):1262–4 (in Russian).
- Knunyantz, I.L., 1983. Chemical Encyclopaedic Dictionary. Moscow: Soviet Encyclopedia Publisher (in Russian).
- Kolida, Yu.Ya., A.S. Antonova, T.N. Kropacheva, and V.I. Kornev. 2014. Magnetic iron oxides as sorbents of hard metals cations. *Bullettin of Udmurt University* 4:52–61 (in Russian).
- Kosmulski, M. 2001. *Chemical Properties of Material Surfaces*. New York; Basel: Marcel Dekker AG.
- Krasnopyorova, A.P., N.V. Efimova, G.D. Yuhno, and D.S. Sofronov. 2017. Impact of ion force and solution acidity on sorption capability of MnO(OH) toward radionuclides <sup>90</sup>Sr, <sup>137</sup>Cs and <sup>60</sup>Co. *Vestnik of Novgorod State University* 103(3):22–5. (in Russian)

- Labiad, H., B. Sellami, A. Khazri, W. Saidani, and S. Khemais. 2017. Optical properties and toxicity of undoped and Mn-doped ZnS semiconductor nanoparticles synthesized through the aqueous route. *Optical Materials* 64:179–86.
- Lavrynenko, S., A.G. Mamalis, D. Sofronov, A. Odnovolova, and V. Starikov. 2018. Synthesis features of iron oxide nanopowders with high magnetic and sorption properties. *Materials Science Forum* 915:116–20.
- Lee, S., D. Song, D. Kim, et al. 2004. Effects of synthesis temperature on particle size/shape and photoluminescence characteristics of ZnS:Cu nanocrystals. *Materials Letters* 58:342–6.
- Li, F., J. Wu, Q. Qin, Zh. Li, and X. Huang. 2010. Facile synthesis of  $\gamma$ -MnOOH micro/nanorods and their conversion to  $\beta$ -MnO<sub>2</sub>, Mn<sub>3</sub>O<sub>4</sub>. *Journal of Alloys and Compounds* 492(1–2):339–46.
- Li, W., D. Li, Zh. Chen, et al. 2008. High-efficient degradation of dyes by ZnxCd1-xS solid solutions under visible light irradiation. *Journal of Physical Chemistry C* 112:14943–7.
- Li, Y., X. He, and M. Cao. 2008. Micro-emulsion-assisted synthesis of ZnS nanospheres and their photocatalytic activity. *Materials Research Bulletin* 43:3100–10.
- Liu, C., Y. Chen, W. Huang, Y. Situ, and H. Huang. 2018. Birnessite manganese oxide nanosheets assembled on Ni foam as high-performance pseudocapacitor electrodes: Electrochemical oxidation driven porous honeycomb architecture formation. *Applied Surface Science* 458:10–7.
- Liu, J., K.T. Valsaraj, I. Devai, and R.D. DeLaune. 2008. Immobilization of aqueous Hg(II) by mackinawite (FeS). *Journal of Hazardous Materials* 157:432–40.
- Liu, T., L. Xue, and X. Guo. 2015. Study of Hg<sup>0</sup> removal characteristics on Fe<sub>2</sub>O<sub>3</sub> with H<sub>2</sub>S. *Fuel* 160:189–95.
- Loganathan, P., and R.G. Burau. 1973. Sorption of heavy metal ions by a hydrous manganese oxide. *Geochimica et Cosmochimica Acta* 37(5), 1277–93.
- Lompe, K.M., D. Menard, and B. Barbeau. 2017. The influence of iron oxide nanoparticles upon the adsorption of organic matter on magnetic powdered activated carbon. *Water Research* 123:30–9.
- Mallakpour, Sh., and F. Motirasoul. 2019. Cross-linked poly(vinyl alcohol)/modified  $\alpha$ -manganese dioxide composite as an innovative adsorbent for lead(II) ions. *Journal of Cleaner Production* 224:592–602.
- Manoharan, S., S. Goyal, M.L. Rao, M.S. Nair, and A. Pradhan. 2001. Microwave synthesis and characterization of doped ZnS based phosphor materials. *Materials Research Bulletin* 36:1039–47.
- Marcotrigiamo, G., G. Peyronel, and R. Battisturzi. 1972. Kinetics of desulphuration of thiourea in sodium hydroxide studied by chromatographic method. *Journal of the Chemical Society. Perkin Transactions Part 2* 11:1539–41.
- Mateleshko, N., V. Mitsa, and S. Sikora. 2004. Electrooptical properties of DC electroluminescent ZnS:Mn, Cu powder panels with chalcogenide glass intermediate layer. *Journal of Optoelectronics and Advanced Materials* 6(1):329–32.
- McCloy, J.S., and R.W. Tustison. 2013. *Chemical Vapor Deposited Zinc Sulfide*. Washington: SPIE Press.
- Mendil, R., Z. Ben Ayadi, and K. Djessas. 2016. Effect of solvent medium on the structural, morphological and optical properties of ZnS nanoparticles synthesized by solvothermal route. *Journal of Alloys and Compounds* 678:87–92.

- Mishukova, T.G., A.A. Osipov, and I.A. Salnikov. 2015. Determination of the micro-elements content in drinking waters of the Orenburg Region. *Bullettin of Orenburg State University* 185(10):303–7 (in Russian).
- Moore, G.L. 1989. *Introduction to Inductively Coupled Plasma Atomic Emission Spectrometry*. Amsterdam: Elsevier.
- Morse, J.W., and T. Arakaki. 1993. Adsorption and coprecipitation of divalent metals with mackinawite (FeS). *Geochimica et Cosmochimica Acta* 57(15):3635–40.
- Mullet, M., S. Bouriquot, and J.J. Ehrhardt. 2004. Removal of hexavalent chromium from solutions by mackinawite, tetragonal FeS. *Colloids and Surfaces A Physicochemical and Engineering Aspects* 244(1):77–85.
- Muraleedharan, K., V.K. Rajan, and V.M. Abdul Mujeeb. 2015. Green synthesis of pure and doped semiconductor nanoparticles of ZnS and CdS. *Transactions of Nonferrous Metals Society of China* 25(10):3265–70.
- Murray, J.W. 1975. The interaction of cobalt with hydrous manganese dioxide. *Geochimica et Cosmochimica Acta* 39(5):635–47.
- Murugadoss, G. 2013. Synthesis and photoluminescence properties of zinc sulfide nanoparticles doped with copper using effective surfactants. *Particuology* 11(5):566–73.
- Musić, S. 1985. Sorption of chromium(III) and chromium(VI) on lead sulfide. *Journal of Radioanalytical and Nuclear Chemistry* 91(2):337–47.
- Musić, S. and M. Ristić. 1988. Adsorption of trace elements or radionuclides on hydrous iron oxides. *Journal of Radioanalytical and Nuclear Chemistry* 120(2):289–304.
- Naderi, M. 2015. Surface area: Brunauer–Emmett–Teller (BET). In: S. Tarleton (ed.) *Progress in Filtration and Separation*, pp. 585–608. London: Academic Press/Elsevier.
- Nagpal, M., and R. Kakkar. 2019. Use of metal oxides for the adsorptive removal of toxic organic pollutants. *Separation and Purification Technology* 211:522–39.
- Neto, J.O.M., C.R. Bellato, and D.C. Silva. 2019. Iron oxide/carbon nanotubes/chitosan magnetic composite film for chromium species removal. *Chemosphere* 218:391–401.
- Niazi, N.K., and E.D. Burton. 2016. Arsenic sorption to nanoparticulate mackinawite (FeS): An examination of phosphate competition. *Environmental Pollution* 218:111–7.
- Nishikida, K., E. Nishio, and R.W. Hannah. 1995. *Selected Applications of Modern FT-IR Techniques*. Tokyo: Kodansha.
- Nouh, S.A., M. Amin, M. Gouda, and A. Abd-Elmagid. 2015. Extraction of uranium(VI) from sulfate leach liquor after iron removal using manganese oxide coated zeolite. *Journal of Environmental Chemical Engineering* 3:523–8.
- Nyquist, R.A., and R.O. Kagel. 1971. *Infrared Spectra of Inorganic Compounds*. New York; London: Academic Press.
- Ociński, D., I. Jacukowicz-Sobala, J. Raczyk, and E. Kociołek-Balawejder. 2014. Evaluation of hybrid polymer containing iron oxides as As(III) and As(V) sorbent for drinking water purification. *Reactive and Functional Polymers* 83:24–32.
- Odnovolova, A.M., D.S. Sofronov, P.V. Mateichenko, et al. 2014. Role of anion composition of aqueous solution in forming morphology and surface of particles  $\text{Fe}_2\text{O}_3$  in the course of deposition and their sorption properties. *Russian Journal of Applied Chemistry* 87(8):1060–4.

- Odnovolova, A.M., D.S. Sofronov, A. Puzan, et al. 2015. Formation characteristics of  $\text{Fe}_3\text{O}_4$  magnetic particles precipitated from aqueous solutions and their sorption properties. *Functional materials* 22(4):475–81.
- Pandi K., S. Periyasamy, and N. Viswanathan. 2017. Remediation of fluoride from drinking water using magnetic iron oxide coated hydrotalcite/chitosan composite. *International Journal of Biological Macromolecules Part B* 104:1569–77.
- Pepper, R.A., S.J. Couperthwaite, and G.J. Millar. 2017. Value adding red mud waste: High performance iron oxide adsorbent for removal of fluoride. *Journal of Environmental Chemical Engineering* 5(3):2200–6.
- Peters, O.M., and C.J. Rauter. 1974. Pathways in thioacetamide hydrolysis in aqueous acid: detection by kinetic analysis. *Journal of the Chemical Society. Perkin Transactions Part 2* 15:1832–5.
- Pons, M.N., and J. Dodds. 2015. Particle shape characterization by image analysis. In: S. Tarleton (ed.) *Progress in Filtration and Separation*, pp. 609–636. London: Academic Press/Elsevier.
- Pretorius, P.J., and P.W. Linder. 2001. The adsorption characteristics of  $\delta$ -manganese dioxide: A collection of diffuse double layer constants for the adsorption of  $\text{H}^+$ ,  $\text{Cu}^{2+}$ ,  $\text{Ni}^{2+}$ ,  $\text{Zr}^{2+}$ ,  $\text{Cd}^{2+}$  and  $\text{Pb}^{2+}$ . *Applied Geochemistry* 16(7):1067–82.
- Qiao, S.-Z., J. Liu, and G.Q. Max Lu. 2017. Synthetic chemistry of nanomaterials. In: R. Xu, and Y. Xu (eds.) *Modern Inorganic Synthetic Chemistry*, 2nd Edn, pp. 613–640. Amsterdam: Elsevier.
- Qiu, W., M. Xu, X. Yang, F. Chen, Y. Nan, and H. Chen. 2011. Novel hierarchical CdS crystals by an amino acid mediated hydrothermal process. *Journal of Alloys and Compounds* 509:8413–20.
- Rakovitch, A.Y., V. Stockhausen, A.S. Susha, S. Sapra, and A.L. Rogach. 2008. Decorated wires as a reaction product of the microwave-assisted synthesis of CdSe in the presence of glycine. *Colloids and Surfaces A: Physicochemical and Engineering Aspects* 317:737–41.
- Rantala, T.T. 1999. Ab initio studies of compound semiconductor surfaces. In: Th.F. George, and D.A. Jelski (eds.), *Computational Studies Of New Materials*, pp. 6–26. Singapore: World Scientific Publishing Co.
- Rasmussen, K., H. Rauscher, A. Mech, et al. 2018. Physico-chemical properties of manufactured nanomaterials – Characterisation and relevant methods. An outlook based on the OECD Testing Programme. *Regulatory Toxicology and Pharmacology* 92:8–28.
- Ronco, C., and J.F. Winchester (eds.). 2001. *Dialysis, Dialyzers and Sorbents: Where Are We Going?* (Contributions to Nephrology, Vol. 133). Basel: Karger.
- Roth, H.-C., S.P. Schwaminger, M. Schindler, F.E. Wagner, and S. Berensmeier. 2015. Influencing factors in the co-precipitation process of superparamagnetic iron oxide nano particles: a model based study. *Journal of Magnetism and Magnetic Materials* 377:81–9.
- Saha, J.K., and J. Podder. 2011. Crystallization of zinc sulphate single crystals and its structural, thermal and optical characterization. *Journal of Bangladesh Academy of Sciences* 35(2):203–10.
- Sampanthar, J.T., J. Dou, G.G. Joo, W. Effendi, and Q.H.E. Low. 2007. Template-free low temperature hydrothermal synthesis and characterization of rod-shaped manganese oxyhydroxides and manganese oxides. *Nanotechnology* 18(2):025601.

- Singh, M., D.N. Thanh, P. Ulbrich, N. Strnadová, and F. Štěpánek. 2010. Synthesis, characterization and study of arsenate adsorption from aqueous solution by  $\alpha$ - and  $\delta$ -phase manganese dioxide nanoadsorbents. *Journal of Solid State Chemistry* 183(12):2979–86.
- Sofronov, D.S., K.N. Belikov, N.N. Kamneva, E.Yu. Bryleva, and A.V. Bulgakova. 2014. Synthesis of submicron ZnS particles and their sorption characteristics. *Sorption and Chromatographic Processes* 14(1):159–65. (in Russian).
- Sofronov, D.S., K.N. Belikov, E.M. Sofronova, P.V. Mateichenko, and N.V. Babayevskaya. 2013. Production of disperse particles of CdS from thiourea solutions in the presence of amino acids. *Functional Materials* 20(1):118–22.
- Sofronov, D.S., N.N. Kamneva, A.V. Bulgakova, et al. 2013. Effect of anions and medium pH on the formation of ZnS micro- and nanoparticles from thiourea solutions. *Journal of Biological Physics and Chemistry* 13:85–9.
- Sofronov, D.S., N.N. Kamneva, K.A. Katrunov, et al. 2014. Effect of precipitation conditions on the particle size and optical properties of ZnS. *Inorganic Materials* 50(7):817–21.
- Sofronov, D., A. Krasnopyorova, N. Efimova, et al. 2019. Extraction of radionuclides of cerium, europium, cobalt and strontium with  $Mn_3O_4$ ,  $MnO_2$ , and MnOOH sorbents. *Process Safety and Environmental Protection* 125:157–63.
- Sofronov, D.S., A.M. Odnovolova, L.V. Gudzenko, et al. 2017. Study of  $Mn^{2+}$  and  $MnO^{4-}$  products interaction in alkaline solution. *Functional Materials* 24(2):322–7.
- Sofronov, D.S., E.M. Sofronova, V.N. Baumer, K.A. Kudin, O.M. Vovk, and P.V. Mateychenko. 2011. Formation of nano- and microparticles CdS from thiourea solutions. *Functional materials* 18(4):523–8.
- Sofronov, D.S., E.M. Sofronova, V.V. Starikov, et al. 2013. Microwave synthesis of ZnSe. *Journal of Materials Engineering and Performance* 22(6):1637–41.
- Song, H., Y.-M. Leem, B.-G. Kim, and Y.-T. Yu. 2008. Synthesis and fluorescence properties of pure and metal-doped spherical ZnS particles from EDTA–metal complexes. *Journal of Physics and Chemistry of Solids* 69:153–60.
- Stone, A.T., and J.J. Morgan. 1984. Reduction and dissolution of manganese(III) and manganese(IV) oxides by organics: 2. Survey of the reactivity of organics. *Environmental Science & Technology* 18(8):617–24.
- Su, Y.M., Ch.-Y. Huang, Y.-P. Chyou, and K. Svoboda. 2017. Sulfidation/regeneration multi-cyclic testing of  $Fe_2O_3/Al_2O_3$  sorbents for the high-temperature removal of hydrogen sulfide. *Journal of the Taiwan Institute of Chemical Engineers* 74:89–95.
- Sun, J.Q., X.-P. Shen, K.-M. Chen, Q. Liu, W. Liu. 2008. Low-temperature synthesis of hexagonal ZnS nanoparticles by a facile microwave-assisted single-source method. *Solid State Communications* 147:501–4.
- Syamchand, S.S., and G. Sony. 2015. Europium enabled luminescent nanoparticles for biomedical applications. *Journal of Luminescence* 165:190–215.
- Taffarel, S.R. and J. Rubio. 2010. Removal of  $Mn^{2+}$  from aqueous solution by manganese oxide coated zeolite. *Minerals Engineering* 23:1131–8.
- Takematsu, N. 1979–1980. Sorption of transition metals on manganese and iron oxides, and silicate minerals. *Journal of the Oceanographical Society of Japan* 35(1):36–42.
- Thirunavukkarasu, O.S., T. Viraraghavan, and K.S. Subramanian. 2003. Arsenic removal from drinking water using iron oxide-coated sand. *Water, Air, and Soil Pollution* 142(1):95–111.

- Thuy, U.Th.D., N.Q. Liem, Ch.M.A. Parlett, G.M. Lalev, and K. Wilson. 2014. Synthesis of CuS and CuS/ZnS core/shell nanocrystals for photocatalytic degradation of dyes under visible light. *Catalysis Communications* 44:62–7.
- Tiquia-Arashiro, S. and D.F. Rodrigues. 2016. *Extremophiles: Applications in Nanotechnology*. Cham: Springer.
- Tombácz, E., R. Turcu, V. Socoliuc, and L. Vékás. 2015. Magnetic iron oxide nanoparticles: Recent trends in design and synthesis of magnetoresponsive nanosystems. *Biochemical and Biophysical Research Communications* 468(3):442–53.
- Tripathi, B., Y.K. Vijay, S. Wate, F. Singh, and D.K. Avasthi. 2007. Synthesis and luminescence properties of manganese-doped ZnS nanocrystals. *Solid-State Electronics* 51:81–4.
- Turner, A., S.M. Le Roux, and G.E. Millward. 2008. Adsorption of cadmium to iron and manganese oxides during estuarine mixing. *Marine Chemistry* 108(1–2):77–84.
- Ul-Haq, I., and F. Haider. 2010. Synthesis and characterization of uniform fine particles of iron(III) hydroxide/oxide. *Journal of the Chinese Chemical Society* 57(2):174–9.
- Vadiraj, K.T. and Sh.L. Belagali. 2017. Photoluminescence behavior of manganese doped zinc sulphide, synthesized by hydrothermal process. *Materials Today: Proceedings Part 3* 4(11):11696–9.
- Vardhan, K.H., P.S. Kumar, and R.C. Panda. 2019. A review on heavy metal pollution, toxicity and remedial measures: Current trends and future perspectives. *Journal of Molecular Liquids* 290:111197.
- Vellingiri, K., K-H. Kim, A. Pournara, and A. Deep. 2018. Towards high-efficiency sorptive capture of radionuclides in solution and gas. *Progress in Materials Science* 94:1–67.
- Wang, C., Q. Li, and B. Hu. 2017. Preparation and characterization of ZnS nanoparticles prepared by hydrothermal method. *International Journal of Modern Physics B* 31(16–19):6 p. Article 1744055
- Wang, M., L. Sun, X. Fu, Ch. Liao, and Ch. Yan. 2000. Synthesis and optical properties of ZnS:Cu(II) nanoparticles. *Solid State Communications* 115:493–496.
- Wang, M., Q. Zhang, W. Hao, and Zh.-X. Sun. 2011. Surface stoichiometry of zinc sulfide and its effect on the adsorption behaviors of xanthate. *Chemistry Central Journal* 5:73.
- Wang, X., Y. Zhong, T. Zhai, et al. 2011. Multishelled  $\text{Co}_3\text{O}_4\text{-Fe}_3\text{O}_4$  hollow spheres with even magnetic phase distribution: Synthesis, magnetic properties and their application in water treatment. *Journal of Materials Chemistry* 21:17680–7.
- Wang, X.F., J.-J. Xu, and H.-Y. Chen. 2008. A new electrochemiluminescence emission of Mn<sup>2+</sup>-doped ZnS nanocrystals in aqueous solution. *Journal of Physical Chemistry C* 112 (45):17581–5.
- Wang, Y., J. Li, J. Li, et al. 2018. Solution prepared O-doped ZnS nanocrystals: Structure characterization, energy level engineering and interfacial application in polymer solar cells. *Solar Energy* 160:353–9.
- Watson, J.H.P., B.A. Cressey, A.P. Roberts, et al. 2000. Structural and magnetic studies on heavy-metal-adsorbing iron sulphide nanoparticles produced by sulphate-reducing bacteria. *Journal of Magnetism and Magnetic Materials* 214:13–30.
- Wegmann, M., and M. Scharr. 2018. Synthesis of magnetic iron oxide nanoparticles. In: H.-P. Deigner, and M. Kohl (eds.) *Precision Medicine: Tools and Quantitative Approaches*, pp. 145–181. London: Elsevier Academic Press.

- Wershin, P., M.H.R. Person, G. Redden, et al. 1994. Interaction between aqueous uranium (VI) and sulfide minerals: Spectroscopic evidence for sorption and reduction. *Geochimica et Cosmochimica Acta* 58(13):2829–43.
- WHO (World Health Organization). 2003. Iron in Drinking-water. Geneva. [http://www.who.int/water\\_sanitation\\_health/dwq/chemicals/iron.pdf](http://www.who.int/water_sanitation_health/dwq/chemicals/iron.pdf).
- Wilkin, R.T., and D.G. Beak. 2017. Uptake of nickel by synthetic mackinawite. *Chemical Geology* 462:15–29.
- Wu, R., J. Qu, and Y. Chen. 2005. Magnetic powder MnO–Fe<sub>2</sub>O<sub>3</sub> composite—a novel material for the removal of azo-dye from water. *Water Research* 39(4):630–8.
- Wu, Y., B. Tang, H. Huo, et al. 2013. The study of zinc sulphide scintillator for fast neutron radiography. *Physics Procedia* 43:205–15.
- Xiao, Q., and Ch. Xiao. 2008. Synthesis and photoluminescence of water-soluble Mn<sup>2+</sup>-doped ZnS quantum dots. *Applied Surface Science* 254:6432–5.
- Xie, X., X. Jiang, T. Zhang, and Zh. Huang. 2020. Study on impact of electricity production on regional water resource in China by water footprint. *Renewable Energy* 152:165–78.
- Xiong, Z., F. He, D. Zhao, and M.O. Barnett. 2009. Immobilization of mercury in sediment using stabilized iron sulfide nanoparticles. *Water Research* 43:5171–9.
- Xu, J., Z. Qu, N. Yan, et al. 2016. Size-dependent nanocrystal sorbent for copper removal from water. *Chemical Engineering Journal* 284:565–70.
- Yan, X., E. Michael, S. Komarneni, J.R. Brownson, and Z.-F. Yan. 2013. Microwave- and conventional-hydrothermal synthesis of CuS, SnS and ZnS: Optical properties. *Ceramics International* 39(5):4757–63.
- Yao, J., G. Zhao, D. Wang, and G. Han. 2005. Solvothermal synthesis and characterization of CdS nanowires/PVA composite films. *Materials Letters* 59:3652–5.
- Yao, Q.Z., G. Jin, and G.-T. Zhou. 2008. Formation of hierarchical nanospheres of ZnS induced by microwave irradiation: A highlighted assembly mechanism. *Materials Chemistry and Physics* 109:164–8.
- Zhai, T., Zh. Gu, Y. Ma, W. Yang, L. Zhao, and J. Yao. 2006. Synthesis of ordered ZnS nanotubes by MOCVD-template method. *Materials Chemistry and Physics* 100:281–4.
- Zhai, X., X. Zhang, Sh. Chen, W. Yang, and Zh. Gong. 2012. Oleylamine as solvent and stabilizer to synthesize shape-controlled ZnS nanocrystals with good optical properties. *Colloids and Surfaces A: Physicochemical and Engineering Aspects* 409:126–9.
- Zhang, Y., F. Lu, Zh. Wang, et al. 2007. ZnS nanoparticle-assisted synthesis and optical properties of ZnS nanotowers. *Crystal Growth & Design* 7(8):1459–62.
- Zhang, Y.C., G.Y. Wang, X.Y. Hu, and W.W. Chen. 2006. Solvothermal synthesis of uniform hexagonal-phase ZnS nanorods using a single-source molecular precursor. *Materials Research Bulletin* 41:1817–24.
- Zhang, Y.C., G.Y. Wang, X.Y. Hu, Q.F. Shi, T. Qiao, and Y. Yang. 2005. Phase-controlled synthesis of ZnS nanocrystallites by mild solvothermal decomposition of an air-stable single-source molecular precursor. *Journal of Crystal Growth* 284:554–60.
- Zhao, Y., J.-M. Hong, and J.-J. Zhu. 2004. Microwave-assisted self-assembled ZnS nanoballs. *Journal of Crystal Growth* 270:438–45.
- Zhu, D., J. Zhang, J. Song, et al. 2013. Efficient one-pot synthesis of hierarchical flower-like α-Fe<sub>2</sub>O<sub>3</sub> hollow spheres with excellent adsorption performance for water treatment. *Applied Surface Science* 284(1):855–61.

- Zhu, J., M. Zhou, J. Xu, and X. Liao. 2001. Preparation of CdS and ZnS nanoparticles using microwave irradiation. *Materials Letters* 47:25–9.
- Zhu, Zh., H. Ma, R. Zhang, Y. Ge, and J. Zhao. 2007. Removal of cadmium using MnO<sub>2</sub> loaded D301 resin. *Journal of Environmental Sciences* 19(6):652–6.
- Zhuo, R.F., H.T. Feng, D. Yan, et al. 2008. Rapid growth and photoluminescence properties of doped ZnS one-dimensional nanostructures. *Journal of Crystal Growth* 310:3240–6.
- Zou, W., R. Han, Z. Chen, J. Shi, and H. Liu. 2006. Characterization and properties of manganese oxide coated zeolite as adsorbent for removal of copper(II) and lead(II) ions from solution. *Journal of Chemical & Engineering Data* 51(2):534–41.

This chapter is made Open Access through funding by Precision Machine Parts Poland Sp. z o.o.

